KING PORTLAND Centre




ALLIED

TABLE OF CONTENTS

- 01 INTRODUCTION
- 02 ARCHITECTURE
- 03 SITE PLAN
































WALL DETAIL **CLAY BRICK WALL COPING**



WALL DETAIL



- BRICK COPING
- CLAY BRICKS TWO-SIDED
- MASONRY ANCHOR (STRUCTURAL)
- CAST IN PLACE CONCRETE CORE / REINFORCING STEEL
 - CONCRETE MASONRY UNIT (4" X 8" X 16")
- GRANITE BAND AT BASE OF WALL, DEVELOPMENT SIDE ONLY, TO MATCH BASE OF PROPOSED 620 KING
 - WALL FOOTING: CONCRETE STRUCTURAL -BEAM, 300mm X 600mm (BY STRUCTURAL)
 - WALL FOOTING: CONCRETE PILE, EXTENDED TO FROST LINE, SPACING TBD (BY STRUCTURAL)



SECTION THROUGN BRICK WALL


- 30mm SAND SETTING BED -300mm AGGREGATE BASE COURSE -FILTER COURSE (GEOTEXTILE) -COMPACTED SUB-GRADE



PAVING **CLAY UNIT PAVERS**



WALL DETAIL (BASE) GRANITE / CONCRETE



BRICK WALL BRICK TO MATCH PROPSED FOR 620 KING



